


Project / Model  
**21.027**  
**40' Tyre Service Container**

Explanation  
 40' HQ ISO Container

Info  
 Date : 10.08.2021  
 Rev. : 03 / 31.08.2021  
 Per. : Metin ALCAR  
 Tel : 0544 242 04 91  
 Mail : sales@aluratrailer.com

**A 01**






Project / Model  
**21.027**  
**40' Tyre Service Container**

Explanation  
 40' HQ ISO Container

Info  
 Date : 10.08.2021  
 Rev. : 03 / 31.08.2021  
 Per. : Metin ALCAR  
 Tel : 0544 242 04 91  
 Mail : sales@aluratrailer.com

**A 03**



*Project / Model*

**21.027**

**40' Tyre Service Container**

*Explanation*

40' HQ ISO Container

*Info*

*Date* : 10.08.2021

*Rev.* : 03 / 31.08.2021


*Per.* : Metin ALCAR

*Tel* : 0544 242 04 91

*Mail* : sales@aluratrailer.com

**A**

**04**



Project / Model

**21.027**

**40' Tyre Service Container**

Explanation


40' HQ ISO Container

Info

Date : 10.08.2021  
Rev. : 03 / 31.08.2021  
Per. : Metin ALCAR  
Tel : 0544 242 04 91  
Mail : sales@aluratrailer.com

**A**

**05**



Project / Model

**21.027**

**40' Tyre Service Container**

Explanation

40' HQ ISO Container

Info

Date : 10.08.2021

Rev. : 03 / 31.08.2021


Per. : Metin ALCAR

Tel : 0544 242 04 91

Mail : sales@aluratrailer.com

**A**

**06**



Project / Model

**21.027**

**40' Tyre Service Container**

Explanation

40' HQ ISO Container

Info







Date : 10.08.2021  
 Rev. : 03 / 31.08.2021  
 Per. : Metin ALCAR  
 Tel : 0544 242 04 91  
 Mail : sales@aluratrailer.com

**A 07**

Equipment	Explanation	Brand / Orjin	Quantity	
	<b>Bodywork</b> 40' HQ / ISO Container External Dimensions Length: 12.192 mm Width: 2.432 mm Height: 2.896 mm Internal Dimensions Length: 12.024 mm Width: 2.350 mm Height: 2.697 mm Area : 76.2 m3 Tare: 4.020 kg. Insulation: Polyurethane 30 mm Inner coating: Alukobond 4 mm Floor: Polywood 18 mm Floor Covering: PVC 2,5 mm	ALURA / Turkey	1	pcs
	<b>Workbench</b> Wheeled Drawer Width: 600 mm Depth: 465 mm Height: 950 mm Number of Drawers: 6 Pieces Drawer Transport Cap. : 60 kg.	ALURA / Turkey	1	pcs
	<b>Metal Cabinet</b> Width: 1.000 mm Depth: 450 mm Height: 2000 mm Number of Shelves: 7 Pieces Shelf Carrying Cap .: 80 kg. Variable drawer groups Body and carriers 0.80 - 1.2 mm sheet metal It is long-lasting and durable. The covers are double wing reinforced.	ALURA / Turkey	1	pcs
	Tire Stacking Rack System	ALURA / Turkey	4	pcs
	<b>Screw Compressor</b> Working Capacity: 10 bar. Capacity: 0.75-26,5 m3/min - cfm. Engine Power: 5.5 kW/hp. Volts: 400/3 w/p Length: 1450mm. Width: 750mm. Height: 1750mm. Connection: 3/4 inch.	DINAMIK/ Turkey	1	pcs
	500 lt Air Tank	AYKOM / Turkey	1	pcs






















Equipment	Explanation	Brand / Orjin	Quantity	
	<b>Tire Removal</b> 14"-30" Rim Diameter 1000kg Max. Tire Weight 700x1600 Max. Tire Width (mm) Single Speed Engine Standart Standart Rim Fixing Clamp and Lever Standart Remote Controller Optional Cable Controller Optional Moving Controlling Panel 1055x1020x1453 Product Dimensions (mm) 542 Kg Net Weight	ATEK / Turkey	1	pcs
	<b>Tire Balancing Machine</b> For truck and bus tires digital display Rim size: 8"-26" Rim width: max. 8.5"-28" Tire size: 50" Max. tire weight: 200 kg. Easy, fast menu and graphics With tire lift	ATEK / Turkey	1	pcs
	Big support kit Optional bridge support kit V-belt Rim rotating speed 250 rpm Net weight 305 kg	KONIG / Turkey	1	pcs
	<b>Tire Removal</b> Drive size : "25.4 Inch Capacity bolt size : 40.0 mm Torque range : 1,000-2,000 Nm. Weight (w / o socket) : 10,9 Kg. Length (w / o socket) : 285,0 mm. Free speed : 431.0 Rpm. Impact per min. : 4,300 lpm. Air consumption : 0.80 m <sup>3</sup> / min Hose size : 12.7 mm.	KUKEN / Japan	1	pcs
	<b>Air Impact Wrench</b> Length : 156 mm Stone Diameter : 32 mm Pen Diameter : 6 mm Idle Speed : 22,000 rpm Hose Diameter : 8 mm Air Inlet Nipple : 1/4 " Air Consumption : 300 lt / min Working Pressure : 90 psi (6.2 atu) Weight : 0,7 kg	OSAKA / Japan	1	pcs

Equipment	Explanation	Brand / Orjin	Quantity	
	<b>Air Impact Wrench</b> OPT 600: 1 pcs. Socket: 8 pcs. Socket : 3/4" 26-27-29-30-32-35-36-38.00 mm	OSAKA / Japan	1	set
	<b>Air Impact Wrench</b> Tire Tyre Puncture Repair Kit Car	ESTINK / Kore	1	pcs
	<b>Stainless Water Tank</b> Metal Prisma Tank 2 mm / 500Lt.	ALURA / Turkey	1	pcs
	<b>Air Reel</b> Pressure: 20 bar. Compatible fluids: Air Swivel joint: Stainless Metal Seals: Polyurethane Characteristic: Fixed Material: Painted steel Inlet: G 1/2 " (f) Outlet: G 1/2 "(f) Reel flow path: Zinc plated steel Internal drum width: 110 mm  Single row steel wire braid with high tensile strength High resistance to oil and wear Operating temperature -40 C / +100 C Size: 1/2 " Pressure: 10 bar Length: 25 mt.	RAASM / Italy	2	pcs
	<b>Air Reel Set</b> Professional Blow Gun	AIGNEP	1	pcs
	<b>Water Transfer Set</b> Length hose : 11 mt. Length hose con. : 1,5 mt Hose diameter : 8x12 mt. Inlet connection thread : G 1/4" Max working pressure : 10 bar	RAASM / Italy	1	pcs

Equipment	Explanation	Brand / Orjin	Quantity	
	<b>Water Transfer Set</b> Maximum Motor power : 1000 W Maximum Water Flow: 4500 l/hour Maximum pressure: 50/5 m/bar Working pattern: 1.9 - 3 bar Maximum suction : 8 m Maximum leaving water : 35 °C Connection type : G1 Power Cable H05RN-F : 1 m Weight without accessories : 14.7 kg Dimensions (L x W x H): 506 x 270 x 5 mm	KRESS	1	pcs
	Electric Reel 415 VAC 3 phase - 240 VAC 1 phase Auto Loopback Thermoplastic Cable 4 socket outlet 240 VAC 3 pcs 380 VAC 1 pcs	ZECA / Italy	1	pcs
	<b>Hydraulic &amp; Pneumatic Jack</b> Lifting Capacity: 15-30-45 tons Working Type: Hydro-Pneumatic Piston: 3 Pcs First Piston Cap. : 15 tons Second Piston Cap. : 30 tons Third Piston Cap. : 45 tons Minimum Height: 156 mm Max. Height: 327 mm Extension Socket: 497 mm Working Pressure: 8 bar Dimension: 350x850x1409 mm Net Weight: 85 kg.	ATEK / Turkey	1	pcs
	<b>Hydraulic Jack</b> Capacity : 20 ton Max. Height : 230 mm Weight 11,5 kg Overall Size: 330 x 175 x 285 mm	BIG RED / Turkey	2	pcs
	<b>Hydraulic Jack</b> Capacity: 10 tons Model: Hydraulic Weight: 150 kg Length: 1700 mm Open height: 650 mm Width: 450 mm	BASARAN / Turkey	1	pcs
	<b>Jack Stand</b> Capacity: 6 / 12 Ton. Lifting Height: 450 / 600 mm.	ATEK / Turkey	4	pcs

Equipment	Explanation	Brand / Orjin	Quantity	
	<b>Clamp</b> Size : 150 mm Jaw Width : 150 mm Total Lenght : 420 mm Arvil Size : 70x100 mm Vice Heaighy : 170 mm	GAMA / Turkey	1	pcs
	<b>Lighting</b> Body : Polycarbonate RAL 9003 body , Metal lock clip Diffuser: Polycarbonate opal cover Light Source: Mid Power LED Consumption Power: 28 W / 38 W / 55 W Input Voltage: 220-240V AC 50/60 Hz CRI: >80 IP Value: IP65 Usage: Surface Mounted	EAE / Turkey	8	pcs
	Control panel of all equipment. Generator / Mains power connection.	ALURA / Turkey	1	pcs
	<b>Fire extinguisher</b> Capacity: 6 kg. Full Weight: 9.1 kg. Working Pressure: 18 bar. Discharge Time: 14 sec. Extinguishing Agent: MAP@ (ABC)	ALURA / Turkey	4	pcs
	<b>Pressure Regulator</b> Air Inlet: 1/2 inch Filter : 20U Working Pressure : 05-9.9 Atu Working temperature : 5-60 ° C Water Capacity : 80 MI Air Permeability : 2200Lt / Dk	OSAKA / Japan	1	pcs
	<b>Compressed air line installation.</b> Polyurethane Pneumatic fittings	ALURA / Turkey	1	set
	<b>Compressed air line installation.</b> Polyurethane Pneumatic hose 10 mm.	ALURA / Turkey	1	set

Equipment	Explanation	Brand / Orjin	Quantity	
	<b>304 Piece Tool Set</b>			
	Combination Wrench Set 1			
	Combination Wrench Set 1			
	Double Open End Wrench Set 1			
	Double Ring End Wrench Set 1			
	1/4" Drive Socket and Hex Key Set 1			
	1/2" Drive Socket Set (C21-12 Ratchet) 1			
	Drive Deep Socket Set 1			
	Drive TORX/Hex/XZN Socket Bits Set 1			
	C-PLUS Slotted/PH Screwdriver and Bit Set 1			
	C-PLUS TORX Screwdriver Set 1		1	pcs
	T-Handle and Ballpoint L Hex Key Set 1			
	DuoTech Pliers Set (Polished Finish) 1			
	Pliers and Adjustable Wrench Set 1			
	Circlip Pliers Set 1			
	Precision Pliers and Screwdriver Set 1			
	Measuring and Cutting Tool Set 1			
	Standard and Needle File Set 1			
	Hammer and Chisel Set 1			
	Drill Bit and Impact Screwdriver Set 1			
	Hand Riveter Set			

Equipment	Explanation	Brand / Orjin	Quantity
	<b>Mechanic Tool Bag</b> 5 M Chrome Tape Meter : 1 Pc. Short Bits Holder 6,3X30 : 1 Pc. Bits Set Of 10 25 Mm: 1 Pc. Led Flashlight: 1 Pc. Rod Star Screw Screw 4,5X80-6X100 : 2 Pcs. Rod Flat Screw Driver 3X80-4X100-5X125-6X150 : 4 Pcs. 135 Control Item: 1 Pc. 240 Universal Fort Pliers: 1 Pc. 1/2" Socket Wrench 10-11-12-13-14-15-17-19-22-24-27-30-32 Mm 13 Pcs. 1/2" Long Arm 250 Mm : 1 Pc. 1/2" Masfal 70 Mm : 1 Pc. 1/2" Latch Handle 32 Teeth 250Mm : 1 Pc. 12 Piece Allen Set: 1 Pc. Short Combined Wrench 8-9-10-11-12-13-14-17-19-22 Mm : 10 Pcs. 160 Mm Opaque Side Cut: 1 Pc. 180 Mm Opaque Combined Pliers: 1 Pc. 160 Mm Opaque Long Flat Sharp Shaft : 1 Pc.	İZELTAŞ / Turkey	1 pcs