

Project / Model

22.020





Mobile Workshop 6 mt.

Info

...

Date : 03.01.2023
 Rev. : 00.00
 Per. : Metin ALCAR
 Tel. : 0544 242 04 91
 Mail : sales@aluratrailer.com

A 01



Project / Model

22.020


Mobile Workshop 6 mt.

Info

...

Date : 03.01.2023
Rev. : 00.00
Per. : Metin ALCAR
Tel. : 0544 242 04 91
Mail : sales@aluratrailer.com

A 02









Project / Model

22.020

Mobile Workshop 6 mt.

Info

...

Date : 03.01.2023

Rev. : 00.00

Per. : Metin ALCAR

Tel. : 0544 242 04 91


Mail : sales@aluratrailer.com




A





06







No	Equipment	Explanation	Orjin	Piece
1		<p>Bodywork MWS Insulated Body - 6,00 Mt. Production from twisted C type channel steel. Base traverses 80mm height 3mm 18 mm Elastomeric rubber insulation walls. Floor 18mm Plywood plywood. Sliding windows to usable areas. Generator and compressor areas are quickly accessible cover. Exhaust and ventilation device. Stainless hinges and locks. Outside transportation center control board. Electrical cables are hidden inside the insulated chassis. Quick access cover to the lubricating and washing rollers. Monolithic crane connection channel to the body frame. Fixed glass rear door. Environmental and interior lighting 220v. Acrylic industrial chassis and surface paint. Quick-access rear bumper drawers. Metal items are fixed to the chassis</p>	ALURA Turkey	1
2		<p>Material Cabinet Width : 1000 mm Depth : 450 mm Height : 2000mm Number of Shelves: 4 Pieces Shelf Carrying Cap. : 80 kg. Sliding door</p>	ALURA Turkey	10
3		<p>Metal Cabinet Width: 1.000 mm Depth: 450 mm Height: 1800 mm Number of Shelves: 7 Pieces Shelf Carrying Cap .: 80 kg. Variable drawer groups Body and carriers 0.80 - 1.2 mm sheet metal It is long-lasting and durable. The covers are double wing reinforced.</p>	ALURA Turkey	1

No	Equipment	Explanation	Orjin	Piece
4		Air Conditioning Cooling Capacity : 16.000 btu Input Voltage : 110 V - 60 Hz Current Cooling : 6.3 / 6.9 A Required Fuse : 7 A Thermostatic Heat Control Yes Refrigerant : R410a	Toshiba Turkey	1
5		Electric Crane Capacity: 600 / 1.200 kg Lifting height: 10 mt Lifting speed: 10/5 m / min Rope length: 20 mt Engine power: 930 W Voltage: 220-50 V / Hz	Atlas Kore	1
6		Electric line connection board. Control Panel. Electrical connection.	ALURA Turkey	1
7		Outdoor Lighting 30 Watts: 5800 Lumens Size: 120x130 mm Working life: 30,000 hours Standard: IP67	Eat Turkey	12