




No	Equipment	Referans	Producer	Orjin	Piece
1	20 ft. NATO Container AMG	23.037	Alura	Turkey	1




Dimensions / mm.	Length	6.058	Width	2.438	Height	2.591
------------------	--------	-------	-------	-------	--------	-------







Bodywork















20' Dry / Standard Container
 From twisted C type channel steel.
 Base traverses 80mm height 3mm
 18 mm Elastomeric rubber insulation.
 Floor 18mm Plywood plywood.
 Sliding windows to usable areas.
 Generator and compressor areas are quickly accessible cover.
 Exhaust and ventilation device.
 Stainless hinges and locks.
 Outside transportation center control board.
 Electrical cables are hidden inside the insulated chassis.
 Outside transportation center control board.
 Electrical cables are hidden inside the insulated chassis.
 Quick access cover to the lubricating and washing rollers.
 Monolithic crane connection channel to the body frame.
 Environmental and interior lighting 220v.
 Acrylic industrial chassis and surface paint.
 Quick-access rear bumper drawers.
 Metal items are fixed to the chassis.
 Center control panel.
 Generator and compressor areas are quickly accessible cover.
 Cables in protective plastic sheath.
 Polyurethane hose in air line duct.
 Mains Electricity Connection Input.
 Perimeter and interior lighting 220 v.







Finishing












No	Equipment	Explanation	Producer	Orjin	Piece
2	Aluminum Shutters		Çeliksın	Turkey	3
		Manuel Working Locking Systems Size : 1.000 x 2.300 mm 2 Pcs 2.000 x 2.300 mm 1 Pcs.			
3	Hydraulic Loading System.		Alura	Turkey	1
		Hydraulic lowering container lowering system. System power: 120 bar Working power: 220V Carrying capacity: 10 tons Control Panel			
4	Control Panel		Alura	Turkey	1
		Control of all machines. Lighting control. Compressor Pressure gauge.			
5	Grounding Reel		Mavel	İtaly	1
		Cable Thickness: 1x6 mm. Cable Length: 15 Mt Cable Type: H07V - K Automatic Rewind Plastic outer casing steel swivel wall bracket	It can be easily stopped by the end user thanks to the latched stop device. CE approved Dimensions: 28 x 28 x 19 Cm Weight: 2.8 Kg		
6	Lighting		EAT	Turkey	6
		Body : Polycarbonate RAL 9003 body , Metal lock clip Diffuser: Polycarbonate opal cover Light Source: Mid Power LED Power: 28 W / 38 W / 55 W Input Voltage: 220-240V - IP 65			
7	Ventilation		Al-Fan	Turkey	2
		Dimensions: 560 x 560 mm Wing: Galvanized Current: 220 V Motor: 0.34 hp.			

No	Equipment	Explanation	Producer	Orjin	Piece
8	Air Conditioning		Bosch	Germany	1
		Cooling Capacity : 12.000 btu/s Heating Capacity : 13.000 btu/s Energy efficiency class : A++ Cooling power in watts : 1213 Indoor Unit Sound Level : 40.5 db Outdoor Unit Sound Level : 56 db		Estimated room size : 16 m2 Refrigerant : R32 Dehumidification function : Yes Weight : 7.6 kg.	
9	Fire Extinguisher		Star	Turkey	2
		ABC Grade Fire Ext. Powder 12 Kg Capacity MAP Rate 40% Body made of A1 7114 Quality Plastered Sheet		18 Bar Working Pressure 0.70 Mic.Elec. Static Paint.	
10	Generator Diesel		Power	Turkey	1
		Standby/Prime Power: 22 kVa / 23 kVa Standard Voltage: 400/230 V / 3 Phase Engine Bran: Perkins Engine Model: 1103A-33TG1 Alternator: Sincron RPM: 1500 rpm.		Frequency: 50 Hz. Water Cooling	
11	Cable Roller		Mavel	Italy	1
		20 Mt 5*1.5 Mm Three Phase : 220 Volt Cable Thickness: 5*1.5 Mm2 Cable Length: 20 Mt Cable Type : H07RN-F Power : 1000-3000 W		Auto Rewind Plastic outer cover steel swivel wall bracket Weight: 9 Kg Dimensions: 42x39x23 Cm	
12	Work Bench		Alura	Turkey	1
		Work Bench Width: 1.800 mm Depth: 700 mm Height: 2.000 mm Number of Drawers: 10 Drawer Carrying Capacity: 60 kg.		Shelf Carrying Cap .: 80 kg. Socket 2 Pieces 25 mm MDF + Pvc on worktops Electrostatic powder paint Suspension boards modular	
13	Cabinet		Alura	Turkey	1
		Material Cabinet Width: 920 mm Depth: 450 mm Height: 2.000 mm			

No	Equipment	Explanation	Producer	Orjin	Piece
14	Cabinet		Alura	Turkey	1
		Galvanized shelves and uprights. Width: 750 mm Depth: 600 mm Height: 2.000 mm Drawer: 5 pcs.			
15	Clamp		İzeltaş	Turkey	1
		Cast Body Leveler's Vise : 100 Mm Jaw Spacing : 100 mm Mouth Width: 125 Mm			
16	Pistone Compressor		Aykom	Turkey	1
		Chassis Piston Air Compressor Engine Power: 5.5 hp Air Intake: 630 lt/min Revolution : 950 rpm Pressure : 12 bar Working Power : 380 V			
17	Air Tank		Alura	Turkey	1
		Capacity : 300 lt. Working Pressure: 15 bar. Test Pressure: 15 Bar. Sheet Thickness: 4 mm. Compressor Connection : 1" Air Outlet : 1/2"			
18	Air Reel		Mavel	İtaly	1
		Hose Diameter: 10x15 Mm Hose Length: 20 Mt Working Pressure: 15 Bar Inlet and Outlet Dimension: 3/8" F - 3/8" M Automatic Rewind	Plastic outer casing steel swivel wall bracket It can be easily stopped by the end user thanks to the latched stop device. Size: 50x43.5x23.5 cm Weight: 8.3 Kg		
19	Crane		Atlas	Kore	1
		Capacity: 600 / 1.200 kg Lifting height: 10 mt Lifting speed: 10/5 m / min Rope length: 20 mt Engine power: 930 W Voltage: 220-50 V / Hz			

No	Equipment	Explanation	Producer	Orjin	Piece
20	Telescopic Ladder		KEP	Turkey	1
		9 Steps 2.6 Mt Maximum User Weight: 150kg High Quality Aluminum construction with Premium Aluminum Alloy makes this telescopic ladder much safer.			
21	Outdoor Lighting		CSR	Turkey	6
		Operating Voltage / Current: DC 12/15V 1.4A Driving Type: Linear current and voltage controlled driver Light Source: 3W 12pcs power LED LENS Feature: 25° collimator LENS	White:5000-7000K Physical Properties : Polycarbonate plastic black aluminum profile		
22	Universal Lathe - With Ruler		Foreman	China	1
		Diameter above the bench: 360 mm Diameter on Car: 223 mm Bench Width: 187 mm Distance Between Spots: 1.000 mm Spindle Bore Diameter: 52 mm Main Engine Power: 1.5 kW	Trolley Transverse Movement: 160 mm Car Upper Pen Holder Movement: 95 mm Counter Tailstock Pinol Feed : 100 mm Weight: 670 kg Legged Mirror Legged Mirror (With Shutters)		
23	Universal Milling Machine		Foreman	China	1
		Max. Manual Drilling: 45 mm. Max. Manual Milling: 80 mm. Maximum Threading Capacity: M12 Table Dimensions: 800x240 mm. Axis Movements: 760x190x460 mm. Tilt Degree: 45 mm.	Maximum Shaft Movement: 125 mm. Vertical Spindle Speed and Number: 75-3200 (12) rpm. Vertical Spindle Motor: 1.1 kW. Machine Dimensions: 1250x945x1920 mm. Weight: 515 kg.		
24	Battery Grinding Machine		Bosch	Germany	1
		Battery capacity: 4 Ah Idle speed: 10,000 rpm Battery voltage: 18V Weight with battery: 2.3 kg Grinding and cutting disc diameter: 125 mm	Rubber sanding pad diameter: 125 mm		
25	Hand Drill		Bosch	Germany	1
		Input power: 800 watts Impact rate at n. speed: 0 - 4000 bpm Length: 377 mm Width: 83 mm Height: 210 mm Weight without cord: 2.8 kg	Drilling diameter in concrete with rotary hammer bits: 4 to 26 mm Maximum drilling diameter in masonry with core bits: 68 mm Maximum drilling diameter in steel: 13 mm Maximum drilling diameter in wood: 30 mm		

No	Equipment	Explanation	Producer	Orjin	Piece
26	Drill Bit		Bosch	Germany	1
		M6 - M 16 Drilling Set 18 pièces			
27	Sheet Metal Cutting		Makita	Japan	1
		Machinable Material: Steel, max. Stroke rate, load: 1,500 strokes/min Idle stroke rate: 2,400 strokes/min Length: 292 mm Height: 205 mm Weight without cable: 2.7 kg	Input power: 500 W Output power: 270 W Vibration emission value ah: 22 m/s ² Tolerance K: 2 m/s ² Model No : GSC 2.8		
28	Band Saw with Belt		Bosch	Germany	1
		Input power: 2.000 W Cutting capacity at 0°: 104 x 341 mm Saw blade diameter: 305 mm Mitre adjustment: 52° Left / 60° Right Bevel adjustment: 47° Left / 47° Right No-load speed: 3,800 rpm	Saw blade bore diameter: 30 mm Weight: 32.1 kg Depth x Length x Height: 673 x 822 x 686 cm		
29	Guide Roll Set		Mannesmann	Germany	1
		Size: 110 Pieces Measurement System: Metric Product Dimensions: 43 x 32 x 5.6 cm Weight: 1 Kg.			
30	Router Bits		Mannesmann	Germany	1
		MTE "T" Milling Cutter : 1 pcs End Mill Bit Long : 1 pcs End Mill Bit : 1 pcs			
31	Reaming Set		Mannesmann	Germany	1
		Shaft dia. : 3,4,5,6,7,8,9,10,11,12 mm Flat body machine reamer is made of high speed steel, hard and durable, drilling precision reaches H8 level and reduces the surface roughness of workpieces			

No	Equipment	Explanation	Producer	Orjin	Piece
32	Metal Drill Bits		MKE	Turkey	1
		Fast steel drill bit for drilling metal. Rolled corrugated Dimensions: 13 / 14 / 15 / 16 / 17 / 18 / 19 / 20 / 21 / 22 / 23 / 24 / 25 mm			
33	Mechanical Caliper		MKE	Turkey	1
		Measurement Range: 0. . . 150mm Sensitivity: 0.05 mm Upper Jaw Length: 20.5 mm Lower Jaw Length: 40 mm Hardened stainless steel	Ability to measure inch and mm Weight: 145g		
34	Comparator Clock		MKE	Turkey	1
		Measurement Range: 0 ... 10 mm Sensitivity: 0.01mm Accuracy: 17 um Hysteresis: 3 um Resolution: 1mm Display: 0-100			



No	Equipment	Manufacturer	Orjin	Piece
1	20 ft. NATO Container AMG	Alura	Turkey	1
2	Aluminum Shutters	Çeliksın	Turkey	3
3	Hydraulic Loading System.	Alura	Turkey	1
4	Control Panel	Alura	Turkey	1
5	Grounding Reel	Mavel	Italy	1
6	Lighting	EAT	Turkey	6
7	Ventilation	Al-Fan	Turkey	2
8	Air Conditioning	Bosch	Germany	1
9	Fire Extinguisher	Star	Turkey	2
10	Generator Diesel	Power	Turkey	1
11	Cable Roller	Mavel	Italy	1
12	Work Bench	Alura	Turkey	1
13	Cabinet	Alura	Turkey	1
14	Cabinet	Alura	Turkey	1
15	Clamp	İzeltaş	Turkey	1
16	Pistone Compressor	Aykom	Turkey	1
17	Air Tank	Alura	Turkey	1
18	Air Reel	Mavel	Italy	1
19	Crane	Atlas	Kore	1
20	Telescopic Ladder	KEP	Turkey	1
21	Outdoor Lighting	CSR	Turkey	6
22	Universal Lathe - With Ruler	Foreman	China	1
23	Universal Milling Machine	Foreman	China	1
24	Battery Grinding Machine	Bosch	Germany	1
25	Hand Drill	Bosch	Germany	1
26	Drill Bit	Bosch	Germany	1
27	Sheet Metal Cutting	Makita	Japan	1
28	Band Saw with Belt	Bosch	Germany	1
29	Guide Roll Set	Mannesmann	Germany	1
30	Router Bits	Mannesmann	Germany	1
31	Reaming Set	Mannesmann	Germany	1
32	Metal Drill Bits	MKE	Turkey	1
33	Mechanical Caliper	MKE	Turkey	1
34	Comparator Clock	MKE	Turkey	1